


REPORT OF ANNUAL INSPECTION OF CCR SURFACE IMPOUNDMENT		
FACILITY NAME: Gadsden Steam Plant – Ash Pond		
OWNER/OPERATOR OF FACILITY: Alabama Power Company		
INSPECTION DATE: June 5, 2019		
INSPECTING ENGINEER: Jacob A. Jordan, P.E. (Alabama P.E. License # 25093) Southern Company Services Fossil Dam Safety		
ANY CHANGES IN GEOMETRY OF THE IMPOUNDING STRUCTURE SINCE THE PREVIOUS ANNUAL INSPECTION (YES OR NO)?	NO	
(IF YES, DESCRIBE): N/A		
LOCATION AND TYPE OF EXISTING INSTRUMENTATION	N/A (no instrumentation)	
MAXIMUM RECORDED READING OF EACH INSTRUMENT SINCE PREVIOUS ANNUAL INSPECTION	N/A (no instrumentation)	
APPROXIMATE MINIMUM, MAXIMUM AND PRESENT DEPTH AND ELEVATION OF THE IMPOUNDED WATER SINCE PREVIOUS ANNUAL INSPECTION		
MIN. DEPTH: 0 ft*	MAX. DEPTH: 0 ft*	PRESENT DEPTH: 0 ft*
MIN. ELEVATION: N/A	MAX. ELEVATION: N/A	PRESENT ELEVATION: N/A
APPROXIMATE MINIMUM, MAXIMUM AND PRESENT DEPTH AND ELEVATION OF CCR SINCE PREVIOUS ANNUAL INSPECTION.		
MIN. DEPTH: 1 ft	MAX. DEPTH: 42 ft	PRESENT DEPTH: Up to 42 ft
MIN. ELEVATION: EL 504 ft	MAX. ELEVATION: EL 553 ft	PRESENT ELEVATION: Up to EL 553 ft
APPROXIMATE STORAGE CAPACITY OF IMPOUNDING STRUCTURE AT TIME OF INSPECTION.	N/A – Plant Gadsden no longer burns coal, thus no longer generates nor disposes of CCR in this area.	
APPROXIMATE VOLUME OF IMPOUNDED WATER AND CCR AT TIME OF INSPECTION	WATER: 0 cu yds **	CCR: 1,185,000 cu yds **
ANY APPEARANCE OF AN ACTUAL OR POTENTIAL STRUCTURAL WEAKNESS OF THE CCR UNIT, IN ADDITION TO ANY EXISTING CONDITIONS THAT ARE DISRUPTING OR HAVE THE POTENTIAL TO DISRUPT THE OPERATION AND SAFETY OF THE CCR UNIT AND APPURTENANT STRUCTURES (YES OR NO)?	NO	
(IF YES, DESCRIBE): N/A		
ANY OTHER CHANGE(S) WHICH MAY HAVE AFFECTED THE STABILITY OR OPERATION SINCE THE PREVIOUS ANNUAL INSPECTION (YES OR NO)?	NO	
(IF YES, DESCRIBE): N/A		


* Construction of a cover system for closure in place is complete. The impoundment no longer impounds water.

** Cubic yard figures are estimates derived from available information.

Based on the results of my inspection and review of the data provided, it is my professional opinion that the report has been completed in accordance with 40 CFR 257.83(b) and ADEM Admin Code r. 335-13-15-.05(4).



Jacob A. Jordan, P.E.



7/16/19

Date